UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUCACTURERO NAME.	
MANUFACTURERS NAME: Armstrong International, Inc.	
MANUFACTURERS ADDRESS: 816 Maple St., Three Rivers, MI 49093 USA	
PLANT LOCATIONS: Same	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION Consistent with ASME B31.1 & B31.3
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all flanges Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements) SHOW MANUPACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
ARMSTRONG	TYPE OF CONSTRUCTION
	FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: ACV series control valves. See page two for document listing.	
I	
This day of and Notary Public, St. Joseph Co., Mi Commission Evolves Sent 13, 201	THIS SPA DFFICIAL 8
or Notary Public: (sign) Kolenton Kupun	
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: OC18215.5	
Notes: 1. All filtings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	_19
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	Sect. 1.0 - Fittings Rev. 1 06/2003
	244 TOON 5003